

SAFETY DATA SHEET

Texrite Floor Mix MB

		As of date:	2020
Section 1	Product Description		
Product Name:	Floor Mix MB		
Recommended Use:	Ceramic tile and stone tile adhesive		
Synonyms:	Thinset, Dry-set mortar, Bondcoat, Tile setting mortar		
Manufacturer:			
	Texas Cement Products, dba Texrite		
	4000 Pinemont, Houston, Texas 77018, USA		
	713-682-8411 www.texrite.com		
General Phone Number:	713-682-8411 (8am-3pm, CST, M-F)		
General Fax Number:	713-688-2488		

Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;

Signal Word:	Danger
GHS Class:	Serious Eye Damage/Eye Irritation, Category 1, Skin Corrosion/Irritation, Category 2 Skin Sensitizer/Allergic skin reaction, Category 1 Carcinogen/May cause cancer if inhaled, Category 1A, May cause respiratory irritation, STOT SE3 Damage to organs through prolonged or repeated exposure if inhaled, STOT RE1
Hazard Statements:	H100s = General, H200s = Physical, H300s = Health, H400s = Environmental
	 H315 -Causes skin irritation. H317 -May cause an allergic skin reaction. H318 -Causes serious eye damage. H335 -May cause cancer if inhaled. H350.A -May muse respiratory irritation. H372.A - Causes damage to organs through prolonged or repealed exposure if inhaled.
	 P201 -Obtain special instructions before use. P202 -Do not handle until all safety precautions have been read and understood. P260.B -Do not breathe dust. P264.3 -Wash skin thoroughly after handling. P270 -Do not eat, drink or smoke when using this product. P271 -Use only outdoors or in a well-ventilated area. P272 -Contaminated work clothing should not be allowed out of the workplace -Wear protective gloves and eye, face protection. N. Wash with plenty of water.



Precautionary Statements: P201

-Obtain special instructions before use.

P202 -Do not handle until all safety precautions have been read and understood.

P260.B -Do not breathe dust.

P264.3 -Wash skin thoroughly after handling.

- P270 -Do not eat, drink or smoke when using this product.
- P271 -Use only outdoors or in a well-ventilated area.

P272 -Contaminated work clothing should not be allowed out of the workplace P280.B -Wear protective gloves and eye, face protection.

P302+P3529, -IF ON SKIN. Wash with plenty of water

P304+P340 -IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
 - lenses, if present and easy to do. Continue rinsing.
 - P308+P313 -IF exposed or concerned: Gel medical advice / attention.
 - P310.A -Immediately call a POISON CENTER.

P314 -Get medical advice/attention if you feel unwell.

P321 .A -Specific treatment (see supplementary instructions on this label)

P333+P313 -If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 -Take & contaminated clothing and wash it before reuse.

- P403+P233 -Store in a well-ventilated place. Keep container lightly dosed.
- P405 -Store locked up.
- P501A -Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Ingredients(s) with unknown acute toxicity: None

Hazards not otherwise classified identified during the classification process: None

Section 3 Composition Information and Ingredients

Mixture:

Component Name	CAS #	WT %	<u>Classification</u>
Silica Sand	14808-60-7	40-80%,	Carc. 1A, H350A, STOT RE 1, H372A
Portland Cement	65997-15-1	20-45%	STOT SE 3, H335: Eye Dam 1,H318 Skin Sens. 1,
			H317; Skin Irrit. 2, H315
Calcium sulfate	7778-18 -9	1-5%	STOT SE 3, H335:

Section 4 First-Aid Measures

Emergency and First Aid Procedures

Inhalation:	Remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer artificial respiration. In case of inhalation, consult a doctor immediately and show him packing or label.
Eyes:	IF IN EYES: Rinse cautiously with water with the eyelids open for a sufficient length of time. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation continues, then get medical advice/attention immediately. Protect uninjured eye.
Skin Contact:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Ingestion:	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.



Most Important symptoms/effects, acute and delayed:

Eye Irritation Eye damages Skin Irritation

Erythema Indication of any immediate medical attention and special treatment needed:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Section 5 Fire Fighting Measures

Extinguishing Media: Fire Fighting Methods and Prote contained breathing apparatus.	Use carbon dioxide, or water spray when fighting fires involving this material. ction: Firefighters should wear full protective equipment and NIOSH approved self
Fire and/or Explosion Hazards:	Do not inhale explosion and combustion gases. Burning produces heavy
smoke. Hazardous Combustion Product	
properties:	N.A. Oxidizing
properties:	N.A.
Special protective equipment an	d precautions for fire-fighters:
	Use suitable breathing apparatus.
	Collected contaminated fire extinguishing water separately. This must not be
	discharged into drains.
	Move undamaged containers from immediate hazard area if it can be done
	safely.
	Salely.
Section 6 Accide	ntal Release Measures
Steps to Take in Case Ma	
ls	Wear personal protection equipment.Wear breathing apparatus if exposed to
-	vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate
	respiratory protection. See protective measures under section 7 and 8. Ventilate
	the contaminated area.
Released or Spilled:	Suitable material for taking up: absorbing material, organic, sand. Wash with
	plenty of water.
Section 7 Handli	ng and Storage
Handling:	Avoid contact with skin and eyes, Inhalation of vapors and mists.
C	Exercise the greatest care when handling or opening the container. Use
	localized ventilation system. Don't use empty container before they have been
	cleaned. Before making transfer operations, assure that there aren't any
	incompatible material residuals in the containers. Contaminated clothing should
	be changed before entering eating areas. Do not eat or drink while working. See
	also section 8 for recommended protective equipment. Wash thoroughly after
	handling. Wear protective gloves/protective clothing/eye protection/face
	protection.
Storage:	Keep dry. Keep container tightly closed & upright when not in use to
	prevent leakage.
	N.A.
Storage Code:	

Section 8

Exposure Controls / Personal Protection

List of components with OEL value



<u>Component</u>	OEL Type Country	<u>Ceiling</u>	Long Term <u>mg/m3</u>	Long Term ppm	Short Term mg/m3	Short Term ppm	Behavior	Note
Silica Sand	ACGIH		0.025					A2-SupsectedHuman
								Carcinogen; lung
								cancer; pulmonary fibrosis
Portland cement	OSHA		15					
	OSHA		5.0					
	ACGIH		1					A4- Not classifiable as a
								Human Carcinogen;:
								pulmonary function:
								respiratory symptoms;
								asthma
Calcium sulfate	OSHA		15					
	OSHA		5					
	ACGIH		10					nasal symptoms
	easures: ctive Equipment (P	PE):	under norma	l conditions o	of use. Avoid	generating	airborne	
Respiratory Pro Respirator Type Eye Protection: Skin Protection	otection: e(s):	Avoid sl Wash h	No respirator Use NIOSH a Wear close f kin contact by v ands and other en leaving work	approved air itting safety g wearing cloth r exposed are	purifying res glasses or go ing that prov	pirator with oggles when vides compre	dust filte handling ehensive	r. g this product. e protection.
Gloves:			PVC, neopre	ene, rubber, r	ntrile			

Section 9

Physical and Chemical Properties

Appearance:	Odor:	Solid, Gray or White Powder Cement likes
Odor Threshold:		None
pH (Neutrality):		N.A.
Melting Point/Freezing Point:		N.A.
Boiling Range (Ibp,50%,Dry Point):		N.A.
Flash Point (Test Method):		N.A.
Evaporation Rate		
(n-Butyl Acetate=1):		N.A.
Flammability Classification:		N.A.
Lower Flammable		
Limit in Air (% by vol):		N.A.
Upper Flammable		
Limit in Air (% by vol):		N.A.
Vapor Pressure (mm of Hg)@20 C:		N.A.
VAPOR DENSITY (Air=1):		N.A.



GRAVITY @ 68/68F / 20/20C:	
Specific Gravity (Water=1):	N.A.
Pounds/Gallon:	N.A.
Water Solubility:	Soluble
Partition Coefficient (n-Octane/Water):	N.A.
Auto Ignition Temperature:	N.A.
Decomposition Temperature:	N.A.
Other Information	
Substance Groups relevant properties	N.A.
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.

Section 10 Stability and Reactivity

Reactivity:	Stable under normal conditions.
Chemical Stability:	No data available
Possibility of Hazardous Reaction:	None
Conditions to Avoid:	Stable under normal conditions.
Incompatible Materials:	None in particular
Hazardous Decomposition Products:	None

Section 11 Toxicological Information

Toxicological Information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentrations of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological Information on the main components of the mixture:

Silica Sand a) acute toxicity LD50 (Oral): =500 mg/kg (Rat)

Calcium sulfate

a) acute toxicity LD50 (Oral): >3000 mg/kg (Rat)

If not differently specified, the information required in the regulation and listed below must be considered NA.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitization
- e) germ cell mutagenicity
- f) carcinogenicity

g),reproductive toxicity h) STOT - single exposure I) STOT -repeated exposure J) aspiration hazard

Substance(s) listed on the IARC Monographs: Silica Sand Group 1 Substance(s) listed as OSHA Carcinogen(s): Silica Sand Substance(s) listed as NIOSH Carcinogen(s): Silica Sand Substance(s) listed on the NTP report on Carcinogens: Silica Sand



Section 12 Ecological Information

Overview:

Adopt good working practices, so that the product is not released Into the environment.

Ecotoxicity:

<u>QTY , Chemical Na</u> me 60-80%, Silica Sand	<u>CAS Number</u> 14808-60-7	Eco Toxicity LC 50 a) Aquatic acute toxicity carp >10000.00000 mg/L 72h
1-5 %, Calcium sulfate	7778-18 -9	LC 50 a) Aquatic acute toxicity Fish Lepomis macrochirus =2980mg/L 96h EPA LC 50 a) Aquatic acute toxicity Fish Pimephales promelas > 1970mg/L 96h EPA
Persistence and degrada Bioaccumulative potentia Mobility in soil: Other Adverse Effects:	•	ata

Section 13 Disposal Considerations

Disposal Methods:

Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance. **Waste Disposal Code(s):**

Not Determined

Section 14 Transport information	Section 14	Transport Information
----------------------------------	------------	-----------------------

UN number

ADR-UN number:	N/A
DOT-UN number:	N/A
IATA-UN number:	N/A N/A
IMDG-UN number:	N/A N/A
	N/A
UN proper shipping name	N1/A
ADR-Shipping Name:	N/A
DOT Proper Shipping Name:	N/A
IATA-Technical name:	N/A
IMDG-Technical name:	N/A
Transport hazard class(es)	
ADR- Class:	N/A
DOT Hazard Class:	N/A
IATA- Class:	N/A
IMDG-Class:	N/A
Packing group	
ADR Packing Group:	N/A
DOT-PackInq group:	N/A
IATA-Packing group:	N/A
IMDG-Packing group:	N/A
Environmental hazards	
Marine pollutant:	No
Environmental Pollutant:	N.A.
Transport in bulk according to Annex II of	MARPOL73/78 and the IBC code:
······································	N.A.
Special Precautions	
Department of Transportation (DOT):	
DOT-Special Provision(s):	N/A
	1 1/7 1



DOT Label(s):	N/A
DOT Symbol:	N/A
DOT Cargo Aircraft:	N/A
DOT Passenger Aircraft:	N/A
DOT Bulk:	N/A
DOT Non-Bulk:	N/A
Road and Rail (ADR-RID):	
ADR-Label:	N/A
ADR Hazard identification number:	N/A
ADR Tunnel Restriction Code: N/A	
Air (IATA) :	
IATA- Passenger Aircraft:	N/A
IATA- Cargo Aircraft :	N/A
IATA- Label:	N/A
IATA- Subrisk:	N/A
IATA- Erg:	N/A
IATA- Special Provisions: Sea	N/A
(IMDG):	
IMDG -Stowage Code:	N/A
IMDG -Stowage Note:	N/A
IMDG -Subrisk:	N/A
IMDG -Special Provisions:	N/A
IMDG -Page:	N/A
IMDG -Label:	N/A
IMDG -EMIS:	N/A
IMDG -MFAG:	N/A

Section 15

Regulatory Information

USA - Federal regulations

TSCA • Toxic Substances Control Act TSCA Inventory:

All the components are fisted on the TSCA inventory

TSCA listed substances:

Silica Sand	is listed in TSCA	Section 8b
Portland cement	is listed in TSCA	Section 8b
Calcium sulfate	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act Section 302 – Extremely Hazardous Substances: no substance listed

Section 304 – Hazardous substances:	r
Section 313 – Toxic chemical list:	r

no substance listed no substance listed

CERCLA – Comprehensive Environmental Response, Compensations, and Liability Act Substance(s) listed under CERCLA: no substance listed

CAA – Clean Air Act CAA Substances listed:	no substance listed	
CWA – Clean Water Act CWA Substances listed:	no substance listed	



USA - state specific regulations

California Proposition 65 Substance(s) listed under California Proposition 65 Silica Sand listed as carcinogen


Massachusetts right to know Substance(s) listed under Massachusetts Right to Know; Silica Sand Portland cement Calcium sulfate

Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to Know; Silica Sand Portland cement Calcium sulfate

New Jersey Right to know Substance(s) listed under New Jersey Right to Know; Silica Sand Portland cement Calcium sulfate

Section 16 Other Information

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.



HMIS Health:	2 = MODERATE
HMIS Health	 Is health hazard chronic?: Yes
HMIS Flammability:	0 = Not Combustible
HMIS Reactivity:	0 = MINMAL
HMIS P.P.E.:	Safety glasses, gloves, dust respirators

NFPA Health:	2 = MODERATE
NFPA Flammability:	0 = Not Combustible
NFPA Reactivity:	0 = MINIMAL
NFPA Special Risk:	NONE

H315	Causes skin irritation.
H317	May cause an allergic
skin reaction.	



H318	Cause serious eye
	damage.
H335	May cause respiratory irritation.
H350A	May cause cancer if inhaled
H372A	Causes damage to organs through
	prolonged or repeated exposure if inhaled

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH - American Conference of Governmental	OSHA -Occupational Safety and Health
Industrial Hygienists	Administration
CAS -Chemical Abstract Service Number	PEL -Permissible Exposure Limit
CERCLA - Comprehensive Environmental Response,	ppm -Parts per million
Compensation, and Liability Act	RCRA -Resource Conservation and Recovery Act
DOT -U.S. Department of Transportation	SARA -Superfund Amendments and
IARC -International Agency for Research on	TLV Reauthorization
Cancer	TSCA -Threshold Limit Value
N/A -Not Available	IDLH -Toxic Substances Control Act
NTP -National Toxicology Program	-Immediately dangerous to life and

health