

## SAFETY DATA SHEET

### Texrite Hydro-Rite

As of date: 2020

#### Section 1 Product Description

**Product Name:** Hydro-Rite  
**Recommended Use:** Waterproofing and Crack-Isolation Membrane

**Synonyms:** liquid –applied waterproofing membrane

**Manufacturer:** Texas Cement Products, dba Texrite  
4000 Pinemont, Houston, Texas 77018, USA  
713-682-8411 www.texrite.com

**General Phone Number:** 713-682-8411 (8am-3pm, CST, M-F)

**General Fax Number:** 713-688-2488

#### Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;



**Signal Word:** Danger

**GHS Class:** Carcinogen/May cause cancer if inhaled, Category 1A,

**Hazard Statements:** H100s = General, H200s = Physical, H300s = Health, H400s = Environmental  
H350A May cause if inhaled.

**Precautionary Statements:** P201 - Obtain special instructions before use.  
P202 – Do not handle until all safety precautions have been read and understood  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 – If exposed or concerned: Get medical advice/attention.  
P405 - Store locked up.  
P501A - Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

**Ingredients(s) with unknown acute toxicity:** None

**Hazards not otherwise classified identified during the classification process:** None

#### Section 3 Composition Information and Ingredients

**Substances:**

N.A.

**Mixture:**

<u>Component Name</u>	<u>CAS #</u>	<u>WT %</u>	<u>Classification</u>
-----------------------	--------------	-------------	-----------------------

Silica Sand	14808-60-7	0.1-1%,	Carc. 1A, H350A, STOT RE 1, H372A
Titanium dioxide	13463-67-7	0.1-1%,	Carc. 2, H351

## Section 4 First-Aid Measures

### Emergency and First Aid Procedures

<b>Inhalation:</b>	Remove casualty to fresh air and keep at rest.
<b>Eyes:</b>	Wash immediately with water with the eyelids open for a sufficient length of time. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation continues, then get medical advice/attention immediately. Protect uninjured eye.
<b>Skin Contact:</b>	Immediately take off all contaminated clothing. Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose of safely.
<b>Ingestion:</b>	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### Most Important symptoms/effects, acute and delayed:

N.A.

### Indication of any immediate medical attention and special treatment needed:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## Section 5 Fire Fighting Measures

<b>Extinguishing Media:</b>	Use carbon dioxide, or water spray when fighting fires involving this material.
<b>Fire Fighting Methods and Protection:</b>	Firefighters should wear full protective equipment and NIOSH approved selfcontained breathing apparatus.
<b>Fire and/or Explosion Hazards:</b>	Do not inhale explosion and combustion gases. Burning produces heavy smoke.
<b>Hazardous Combustion Products:</b>	N.A.
<b>Explosive properties:</b>	N.A.
<b>Oxidizing properties:</b>	N.A.
<b>Special protective equipment and precautions for fire-fighters:</b>	Use suitable breathing apparatus. Collected contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

## Section 6 Accidental Release Measures

<b>Steps to Take in Case Material Is</b>	Wear personal protection equipment. Wear breathing apparatus if exposed to vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate respiratory protection. See protective measures under section 7 and 8. Ventilate the contaminated area.
<b>Released or Spilled:</b>	Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

## Section 7 Handling and Storage

**Handling:** Avoid contact with skin and eyes, Inhalation of vapors and mists.  
Exercise care when handling or opening the container. Use localized ventilation system. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

**Storage:** Keep dry. Keep container tightly closed & upright when not in use to prevent leakage. Protect from freezing.

**Storage Code:** N.A.

## Section 8 Exposure Controls / Personal Protection

List of components with OEL value

Component	OEL Type Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behavior	Note
Silica Sand	ACGIH		0.025					A2-Suspected Human Carcinogen; lung cancer, pulmonary fibrosis
Titanium dioxide	OSHA		15					A4- Not classifiable as a Human Carcinogen;
	ACGIH		10					lower tract irritation

**Control Parameters**  
**Engineering Measures:** General room ventilation might be required to maintain operator comfort under normal conditions of use.

**Personal Protective Equipment (PPE):**  
**Respiratory Protection:** No respiratory protection required under normal conditions of use.  
**Respirator Type(s):** Use adequate protective respiratory equipment.  
**Eye Protection:** Wear close fitting safety glasses or goggles when handling this product.  
**Skin Protection:** Avoid skin contact by wearing clothing that provides comprehensive protection. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.  
**Gloves:** PVC, neoprene, rubber, nitrile

## Section 9 Physical and Chemical Properties

**Appearance:** Paste Semi-Fluid, Blue Green  
**Odor:** Slight latex like Odor  
**Odor Threshold:** 9.0  
**Melting Point/Freezing Point:** N.A.  
**Range (lbp,50%,Dry Point):** N.A.  
**Flash Point (Test Method):** > 100°C (212°F)  
**Evaporation Rate:** Same as water (n-  
**Butyl Acetate=1):** N.A. Flammability  
**Classification:** N.A.  
**Lower Flammable Limit in Air (% by vol):** N.A.

Upper Flammable	
Limit in Air (% by vol):	N.A. Vapor
Pressure (mm of Hg) @20° C:	N.A. VAPOR
DENSITY (Air=1):	N.A.
GRAVITY @ 68/68°F / 20/20°C:	
Specific Gravity (Water=1):	N.A.
Pounds/Gallon:	N.A.
Water Solubility:	Dispersible
Partition Coefficient (n-Octane/Water):	N.A. Auto
Ignition Temperature:	N.A.
Decomposition Temperature:	N.A.
Other Information	
Substance Groups relevant properties	N.A.
Miscibility:	N.A. Fat
Solubility:	N.A.
Conductivity:	N.A.

## Section 10 Stability and Reactivity

Reactivity:	Stable under normal conditions.
Chemical Stability:	No data available
Possibility of Hazardous Reaction:	None
Conditions to Avoid:	Stable under normal conditions.
Incompatible Materials:	None in particular
Hazardous Decomposition Products:	None

## Section 11 Toxicological Information

Toxicological Information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentrations of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological Information on the main components of the mixture:

Silica Sand a) acute toxicity LD50 (Oral): 500 mg/kg (Rat)

Titanium dioxide a) acute toxicity LD50 (Oral): 10000 mg/kg (Rat)

If not differently specified, the information required in the regulation and listed below must be considered NA.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitization
- e) germ cell mutagenicity
- f) carcinogenicity
- g),reproductive toxicity
- h) STOT - single exposure
- I) STOT -repeated exposure
- J) aspiration hazard

Substance(s) listed on the IARC Monographs:

Silica Sand Group 1  
Titanium dioxide Group 2B

Substance(s) listed as OSHA Carcinogen(s):

Substance(s) listed as NIOSH Carcinogen(s):  
Silica Sand  
Titanium dioxide  
Substance(s) listed on the NTP report on Carcinogens:  
Silica Sand

## Section 12 Ecological Information

### Overview:

Adopt good working practices, so that the product is not released into the environment.

### Ecotoxicity:

<u>QTY , Chemical Name</u>	<u>CAS Number</u>	<u>Eco Toxicity</u>
0.1-1%, Silica Sand	14808-60-7	LC 50 a) Aquatic acute toxicity carp >10000.00000 mg/L 72h

**Persistence and degradability:** N.A.  
**Bioaccumulative potential:** N.A.  
**Mobility in soil:** N.A. **Other**  
**Adverse Effects:** N.A.

## Section 13 Disposal Considerations

**Disposal Methods:** Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance. **Waste Disposal Code(s):**  
 Not Determined

## Section 14 Transport Information

UN number

ADR-UN number:	N/A
DOT-UN number:	N/A
IATA-UN number:	N/A
IMDG-UN number:	N/A

UN proper shipping name

ADR-Shipping Name:	N/A
DOT Proper Shipping Name:	N/A
IATA-Technical name:	N/A
IMDG-Technical name:	N/A

Transport hazard class(es)

ADR- Class:	N/A
DOT Hazard Class:	N/A
IATA- Class:	N/A
IMDG-Class:	N/A

Packing group

ADR Packing Group:	N/A
DOT-Packing group:	N/A
IATA-Packing group:	N/A
IMDG-Packing group:	N/A

Environmental hazards

Marine pollutant:	No
Environmental Pollutant:	N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:

	N.A.
Special Precautions	
Department of Transportation (DOT):	
DOT-Special Provision(s):	N/A
DOT Label(s):	N/A
DOT Symbol:	N/A
DOT Cargo Aircraft:	N/A
DOT Passenger Aircraft:	N/A
DOT Bulk:	N/A
DOT Non-Bulk:	N/A
Road and Rail (ADR-RID):	
ADR-Label:	N/A
ADR Hazard identification number:	N/A
ADR Tunnel Restriction Code:	N/A
Air ( IATA) :	
IATA- Passenger Aircraft:	N/A
IATA- Cargo Aircraft :	N/A
IATA- Label:	N/A
IATA- Subrisk:	N/A
IATA- Erg:	N/A
IATA- Special Provisions: Sea	N/A
(IMDG):	
IMDG -Stowage Code:	N/A
IMDG -Stowage Note:	N/A
IMDG -Subrisk:	N/A
IMDG -Special Provisions:	N/A
IMDG -Page:	N/A
IMDG -Label:	N/A
IMDG -EMIS:	N/A
IMDG -MFAG:	N/A

## Section 15 Regulatory Information

### USA - Federal regulations

TSCA • Toxic Substances Control Act TSCA

Inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

Silica Sand	is listed in TSCA	Section 8b
Titanium dioxide	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substance listed

Section 304 –Hazardous substances: no substance listed

Section 313 – Toxic chemical list: no substance listed

CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA: no substance listed

CAA – Clean Air Act

CAA Substances listed: no substance listed

CWA – Clean Water Act

CWA Substances listed: no substance listed

## USA - state specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65

Silica Sand listed as carcinogen  
Titanium dioxide listed as carcinogen

Massachusetts right to know

Substance(s) listed under Massachusetts Right to Know;

Silica Sand  
Titanium dioxide

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to Know;

Silica Sand  
Titanium dioxide

New Jersey Right to know


Substance(s) listed under New Jersey Right to Know;

Silica Sand  
Titanium dioxide

## Section 16 Other Information

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.

**NFPA:**



**HMIS III:**

HEALTH	*	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

HMIS Health: 1 = SLIGHT  
HMIS Health - Is health hazard chronic?: Yes  
HMIS Flammability: 1 = Combustible if heated  
HMIS Reactivity: 0 = MINMAL  
HMIS P.P.E.: Safety glasses, gloves

NFPA Health: 1 = SLIGHT  
NFPA Flammability: 1 = Combustible if heated  
NFPA Reactivity: 0 = MINIMAL

NFPA Special Risk: NONE

**Code Description**

H350A May cause cancer if inhaled  
H351 Suspected of causing cancer < state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.  
H372A Causes damage to organs through prolonged or repeated exposure if inhaled

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

**Glossary**

ACGIH -American Conference of Governmental Industrial Hygienists	OSHA -Occupational Safety and Health Administration
CAS -Chemical Abstract Service Number	PEL -Permissible Exposure Limit
CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act	ppm -Parts per million
DOT -U.S. Department of Transportation	RCRA -Resource Conservation and Recovery Act
IARC -International Agency for Research on Cancer	SARA -Superfund Amendments and Reauthorization
N/A -Not Available	TLV -Threshold Limit Value
NTP -National Toxicology Program	TSCA -Toxic Substances Control Act
	IDLH -Immediately dangerous to life and health