SAFETY DATA SHEET



Texrite Tub and Tile Caulk (Sanded)

As of date: 2018

Section 1 Product Description

Product Name: Tub and Tile Caulk (Sanded)
Recommended Use: Tub and tile caulking or sealant

Synonyms: Caulk, sealant

Manufacturer: Texas Cement Products, dba Texrite

4000 Pinemont, Houston, Texas 77018, USA

713-682-8411 www.texrite.com

General Phone Number: 713-682-8411 (8am-3pm, CST, M-F)

General Fax Number: 713-688-2488

Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;





Signal Word: Danger

GHS Class: Carcinogen/May cause cancer if inhaled, Category 1A

Cause damage to organs through prolonged or repeated exposure if inhaled, STOT, RE1

Causes skin irritation, Category 2

Causes serious eye irritation, Category 2A

Hazard Statements: H100s = General, H200s = Physical, H300s = Health, H400s = Environmental

H315 Causes skin irritation. H319 Causes eye irritation. H350A May cause if inhaled.

H372A Cause damage to organs through prolonged or repeated exposure if inhaled.

Precautionary Statements: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood

P260B - Avoid breathe dust.

P264.1 - Wash hands thoroughly after handling.

P270 - Do not eat, drink, or smoke when using this product

P280 - Wear protective gloves /protective clothing /eye protection /face protection.

P314 - Get medical advice / attention if you feel unwell.

P321 - Specific treatment (see supplementary instructions on this label)
P332+ P313 - If skin irritation occurs: Get medical advice /attention.
P337+ P313 - If eye irritation persists: Get medical advice /attention.
P362+ P364 - Take off contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501A - Dispose of contents/container in accordance with Local, State, Federal and Provincial

regulations.

Ingredients(s) with unknown acute toxicity: None

Hazards not otherwise classified identified during the classification process: None

Section 3 Composition Information and Ingredients

Mixture:

Component Name CAS # WT % Classification

Silica Sand 14808-60-7 20-30 % Carc. 1A. H350A; STOT RE 1, H372A

Titanium dioxide 13463-67-7 0.1-5%, Carc. 2, H351

Section 4 First-Aid Measures

Emergency and First Aid Procedures

Inhalation: Remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer

artificial respiration. In case of inhalation, consult a doctor immediately and show him packing or

label.

Eyes: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

then consult an ophthalmologist immediately. Protect uninjured eye.

Skin Contact: Immediately take off all contaminated clothing. Areas of the body that have - or are only even

suspected of having come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove

contaminated clothing immediately and dispose of safely.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or

label.

Most Important symptoms/effects, acute and delayed:

Eye irritation Eye damage Skin irritation Erythema

Indication of any immediate medical attention and special treatment needed:

In case of accident or unwellness, seek medical advice immediately (show directions for use or

safety data sheet if possible).

Section 5 Fire Fighting Measures

Extinguishing Media: Use carbon dioxide, or water spray when fighting fires involving this material.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-

contained breathing apparatus.

Fire and/or Explosion Hazards: Do not inhale explosion and combustion gases. Burning produces heavy

smoke.

Hazardous Combustion Products: N.A. Explosive properties: N.A. Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters:

Use suitable breathing apparatus.

Collected contaminated fire extinguishing water separately. This must not be

discharged into drains.

Move undamaged containers from immediate hazard area if it can be done

safely.

Section 6 Accidental Release Measures

Steps to Take in Case Material Is Wear personal protection equipment. Wear breathing apparatus if exposed to

vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate

respiratory protection. See protective measures under section 7 and 8. Ventilate

the contaminated area.

Released or Spilled: Suitable material for taking up: absorbing material, organic, sand. Wash with

plenty of water.

Section 7 Handling and Storage

Precautions for safe handling: Avoid contact with skin and eyes, Inhalation of vapors and mists. Exercise the

greatest care when handling or opening the container. Use localized ventilation system. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Wash thoroughly after handling. Wear

protective gloves/protective clothing/eye protection/face protection.

Storage: Keep dry. Keep container tightly closed & upright when not in use to

prevent leakage.

Storage Code: N.A.

Section 8 Exposure Controls / Personal Protection

List of components with OEL value

 Component
 OEL Type Country
 Ceiling
 Long Term
 Long Term
 Short Term
 Short Term
 Behavior
 Note

 mg/m3
 ppm
 mg/m3
 ppm
 ppm

Silica Sand ACGIH 0.025 0.005 A2-SupsectedHuman Carcinogen; lung cancer, pulmonary fibrosis

Titanium dioxide OSHA 15 A4- Not classifiable as a Human Carcinogen; ACGIH 10 lower tract irritation

Control Parameters

Engineering Measures: General room ventilation might be required to maintain operator comfort

under normal conditions of use. Avoid generating airborne dust

Personal Protective Equipment (PPE):

Respiratory Protection: Use adequate respiratory protection required under normal conditions of use.

Respirator Type(s): Use NIOSH approved air purifying respirator with dust filter.

Eye Protection: Wear close fitting safety glasses or goggles when handling this product.

Skin Protection: Avoid skin contact by wearing clothing that provides comprehensive protection.

such as cotton, rubber, or PVC.

Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves: PVC, neoprene, rubber, nitrile

Section 9 Physical and Chemical Properties

Appearance: Paste, various solid-color Odor: Slight sweet, slight ammonia

Odor Threshold:

pH (Neutrality):

Melting Point/Freezing Point:

N.A.

Boiling Range (lbp,50%,Dry Point):

N.A.

Flash Point (Test Method): >93°C (200°F).

Evaporation Rate
(n-Butyl Acetate=1):

Flammability Classification:

Lower Flammable

N.A.

N.A.

Limit in Air (% by vol): N.A.

Upper Flammable

Limit in Air (% by vol):

Vapor Pressure (mm of Hq)@20 C:

N.A.

VAPOR DENSITY (Air=1): Heavier than air

GRAVITY @ 68/68F / 20/20C:

Specific Gravity (Water=1):
Pounds/Gallon:
N.A.
Water Solubility:
Partition Coefficient (n-Octane/Water):
Auto Ignition Temperature:
N.A.
Decomposition Temperature:
N.A.

Other Information

Substance Groups relevant properties N.A.
Miscibility: N.A.
Fat Solubility: N.A.
Conductivity: N.A.

Section 10 Stability and Reactivity

Reactivity: Stable under normal conditions.

Chemical Stability: No data available

Possibility of Hazardous Reaction: None

Conditions to Avoid: Stable under normal conditions.

Incompatible Materials: None in particular

Hazardous Decomposition Products: None

Section 11 Toxicological Information

Toxicological Information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentrations of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological Information on the main components of the mixture:

Silica Sand a) acute toxicity LD50 (Oral): =500mg/kg (Rat)
Titanium dioxide a) acute toxicity LD50 (Oral):>10000 mg/kg (Rat)

If not differently specified, the information required in the regulation and listed below must be considered NA.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitization
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

Silica Sand Group 1
Titanium Dioxide Group 2B

Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

Titanium Dioxide

Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

Titanium Dioxide

Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

Section 12 Ecological Information

Overview: Adopt good working practices, so that the product is not released into the environment.

Ecotoxicity:

20-30 %, Silica sand 14808-60-7 LC 50 a) Aquatic acute toxicity carp >10000.00000 mg/L 72h

Persistence and degradability: No data
Bioaccumulative potential: No data
Mobility in soil: No data
Other Adverse Effects: No data

Section 13 Disposal Considerations

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information

UN number

ADR-UN number: N/A
DOT-UN number: N/A
IATA-UN number: N/A
IMDG-UN number: N/A

UN proper shipping name

ADR-Shipping Name: N/A
DOT Proper Shipping Name: N/A
IATA-Technical name: N/A
IMDG-Technical name: N/A

Transport hazard class(es)

ADR- Class: N/A
DOT Hazard Class: N/A
IATA- Class: N/A
IMDG-Class: N/A

Packing group

ADR Packing Group: N/A
DOT-PackInq group: N/A
IATA-Packing group: N/A
IMDG-Packing group: N/A

Environmental hazards

Marine pollutant: No Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:

N.A.

Special Precautions

Department of Transportation (DOT):

DOT-Special Provision(s):

DOT Label(s):

N/A

DOT Symbol:

N/A

DOT Cargo Aircraft:

N/A

DOT Passenger Aircraft:

N/A

DOT Bulk:

N/A

DOT Non-Bulk:

N/A

Road and Rail (ADR-RID):

ADR-Label: N/A

ADR Hazard identification number: N/A

ADR Tunnel Restriction Code: N/A

Air (IATA):

IATA- Passenger Aircraft:

IATA- Cargo Aircraft:

IATA- Label:

IATA- Subrisk:

IATA- Subrisk:

IATA- Frg:

IATA- Special Provisions:

N/A

Sea (IMDG):

IMDG -Stowage Code: N/A IMDG -Stowage Note: N/A IMDG -Subrisk: N/A IMDG -Special Provisions: N/A IMDG -Page: N/A IMDG -Label: N/A IMDG -EMIS: N/A IMDG -MFAG: N/A

Section 15

Regulatory Information

USA - Federal regulations

TSCA • Toxic Substances Control Act

TSCA Inventory:

All the components are fisted on the TSCA inventory

TSCA listed substances:

Silica Sand is listed in TSCA Section 8b Titanium Dioxide is listed in TSCA Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substance listed

Section 304 –Hazardous substances: no substance listed Section 313 – Toxic chemical list: no substance listed

CERCLA - Comprehensive Environmental Response, Compensations, and Liability Act

Substance(s) listed under CERCLA: no substance listed

CAA - Clean Air Act

CAA Substances listed: no substance listed

CWA - Clean Water Act

CWA Substances listed: no substance listed

USA - state specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65

Silica Sand listed as carcinogen
Titanium Dioxide listed as carcinogen

Massachusetts right to know

Substance(s) listed under Massachusetts Right to Know;

Silica Sand Titanium Dioxide


Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to Know;

Silica Sand Titanium Dioxide

Section 16 Other Information

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.



HMIS Health: 1 = MODERATE

HMIS Health * - Is health hazard chronic?: Yes HMIS Flammability: 1 = Combustible, if heated

HMIS Reactivity: 0 = MINMAL

HMIS P.P.E.: Safety glasses, gloves, dust respirators

NFPA Health: 1 = MODERATE

NFPA Flammability: 1= Combustible, if heated

NFPA Reactivity: 0 = MINIMAL

NFPA Special Risk: NONE

Code	Description
H350A	May cause cancer if inhaled
H351	Suspected of causing cancer <state conclusively="" exposure="" if="" is="" it="" no="" of="" of<="" other="" proven="" route="" routs="" td="" that=""></state>
	exposure cause the hazard>
H372A	Causes damage to organs through prolonged or repeated exposure if inhaled

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	-American Conference of Governmental Industrial Hygienists	OSHA	-Occupational Safety and Health Administration
CAS	-Chemical Abstract Service Number	PEL	-Permissible Exposure Limit
CERCLA -Comprehensive Environmental Response, p		ppm	-Parts per million
	Compensation, and Liability Act	RCRA	-Resource Conservation and Recovery Act
DOT	-U.S. Department of Transportation	SARA	-Superfund Amendments and
IARC	-International Agency for Research on		Reauthorization
	Cancer	TLV	-Threshold Limit Value
N/A	-Not Available	TSCA	-Toxic Substances Control Act
NTP	-National Toxicology Program	IDLH	-Immediately dangerous to life and health

SAFETY DATA SHEET



Texrite Tub and Tile Caulk (Smooth)

As of date: 2018

Section 1 Product Description

Product Name: Tub and Tile Caulk (Smooth)
Recommended Use: Tub and tile caulking or sealant

Synonyms: Caulk, sealant

Manufacturer: Texas Cement Products, dba Texrite

4000 Pinemont, Houston, Texas 77018, USA

713-682-8411 www.texrite.com

General Phone Number: 713-682-8411 (8am-3pm, CST, M-F)

General Fax Number: 713-688-2488

Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;



Signal Word: Danger

GHS Class: Carcinogen/Suspected cause cancer if inhaled, Category 1A

Hazard Statements: H100s = General, H200s = Physical, H300s = Health, H400s = Environmental

H351A Suspected of cause if inhaled.

Precautionary Statements: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood

P260B - Avoid breathe dust.

P280 - Wear protective gloves /protective clothing /eye protection /face protection.

P308+P313 – If exposed or concerned: Get medical advice / attention.

P405 - Store locked up.

P501A - Dispose of contents/container in accordance with Local, State, Federal and Provincial

regulations.

Ingredients(s) with unknown acute toxicity: None

Hazards not otherwise classified identified during the classification process: None

Section 3 Composition Information and Ingredients

Mixture:

Component Name CAS # WT % Classification

Titanium dioxide 13463-67-7 0.1-5%, Carc. 2, H351

Section 4 First-Aid Measures

Emergency and First Aid Procedures

Inhalation: Remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer

artificial respiration. In case of inhalation, consult a doctor immediately and show him packing or

label.

Eyes: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time.

Protect uninjured eye.

Skin Contact: Immediately take off all contaminated clothing. Areas of the body that have - or are only even

suspected of having come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove

contaminated clothing immediately and dispose of safely.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or

label.

Most Important symptoms/effects, acute and delayed:

N.A.

Indication of any immediate medical attention and special treatment needed:

In case of accident or unwellness, seek medical advice immediately (show directions for use or

safety data sheet if possible).

Section 5 Fire Fighting Measures

Extinguishing Media: Use carbon dioxide, or water spray when fighting fires involving this material.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-

contained breathing apparatus.

Fire and/or Explosion Hazards: Do not inhale explosion and combustion gases. Burning produces heavy

smoke.

Hazardous Combustion Products: N.A. Explosive properties: N.A. Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters:

Use suitable breathing apparatus.

Collected contaminated fire extinguishing water separately. This must not be

discharged into drains.

Move undamaged containers from immediate hazard area if it can be done

safely.

Section 6 Accidental Release Measures

Steps to Take in Case Material Is Wear personal protection equipment. Wear breathing apparatus if exposed to

vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate

respiratory protection. See protective measures under section 7 and 8. Ventilate

the contaminated area.

Released or Spilled: Suitable material for taking up: absorbing material, organic, sand. Wash with

plenty of water.

Section 7 Handling and Storage

Precautions for safe handling: Avoid contact with skin and eyes, Inhalation of vapors and mists. Exercise the

greatest care when handling or opening the container. Use localized ventilation system. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Wash thoroughly after handling. Wear

protective gloves/protective clothing/eye protection/face protection.

Storage: Keep dry. Keep container tightly closed & upright when not in use to

prevent leakage.

Storage Code: N.A.

Section 8 Exposure Controls / Personal Protection

List of components with OEL value

<u>Component</u> <u>OEL Type Country</u> <u>Ceiling</u> Long Term Long Term Short Term <u>Behavior</u> <u>Note</u>

<u>mg/m3 ppm mg/m3 ppm</u>

Titanium dioxide OSHA 15 A4- Not classifiable as a Human Carcinogen:

lower tract irritation

Control Parameters

Engineering Measures: General room ventilation might be required to maintain operator comfort

under normal conditions of use. Avoid generating airborne dust

Personal Protective Equipment (PPE):

ACGIH

10

Respiratory Protection: Use adequate respiratory protection required under normal conditions of use.

Respirator Type(s): Use NIOSH approved air purifying respirator with dust filter.

Eye Protection: Wear close fitting safety glasses or goggles when handling this product.

Skin Protection: Avoid skin contact by wearing clothing that provides comprehensive protection.

such as cotton, rubber, or PVC.

Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves: PVC, neoprene, rubber, nitrile

Section 9 Physical and Chemical Properties

Appearance: Paste, various solid-color Odor: Slight sweet, slight ammonia

Odor Threshold:

pH (Neutrality):

Melting Point/Freezing Point:

N.A.

Boiling Range (lbp,50%,Dry Point):

N.A.

Flash Point (Test Method): >99°C (210°F).

Evaporation Rate

(n-Butyl Acetate=1): N.A. Flammability Classification: N.A.

Lower Flammable

Limit in Air (% by vol): N.A.

Upper Flammable

Limit in Air (% by vol):

Vapor Pressure (mm of Hq)@20 C:

N.A.

VAPOR DENSITY (Air=1): Heavier than air

GRAVITY @ 68/68F / 20/20C:

Specific Gravity (Water=1):
Pounds/Gallon:
N.A.
Water Solubility:
Partition Coefficient (n-Octane/Water):
N.A.
Auto Ignition Temperature:
N.A.
Decomposition Temperature:
N.A.

Other Information

Substance Groups relevant properties N.A.

Miscibility: N.A.
Fat Solubility: N.A.

Conductivity: N.A.

Section 10 Stability and Reactivity

Reactivity: Stable under normal conditions.

Chemical Stability: No data available

Possibility of Hazardous Reaction: None

Conditions to Avoid: Stable under normal conditions.

Incompatible Materials:

None in particular

Hazardous Decomposition Products: None

Section 11 Toxicological Information

Toxicological Information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentrations of each component to assess toxicological effects resulting from exposure to the mixture.

Group 2B

Toxicological Information on the main components of the mixture:

Titanium dioxide a) acute toxicity LD50 (Oral):>10000 mg/kg (Rat)

If not differently specified, the information required in the regulation and listed below must be considered NA.

a) acute toxicity

- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitization
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

Substance(s) listed on the IARC Monographs:

Titanium Dioxide

Substance(s) listed as OSHA Carcinogen(s):

Titanium Dioxide

Substance(s) listed as NIOSH Carcinogen(s):

Titanium Dioxide

Substance(s) listed on the NTP report on Carcinogens:

None

Section 12 Ecological Information

Overview: Adopt good working practices, so that the product is not released into the environment.

Ecotoxicity:

No data

Persistence and degradability:
Bioaccumulative potential:
Mobility in soil:
Other Adverse Effects:
No data
No data

Section 13 Disposal Considerations

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information UN number ADR-UN number: N/A DOT-UN number: N/A IATA-UN number: N/A IMDG-UN number: N/A UN proper shipping name ADR-Shipping Name: N/A DOT Proper Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A Transport hazard class(es) ADR- Class: N/A **DOT Hazard Class:** N/A IATA- Class: N/A IMDG-Class: N/A Packing group ADR Packing Group: N/A DOT-PackIng group: N/A IATA-Packing group: N/A IMDG-Packing group: N/A Environmental hazards Marine pollutant: No Environmental Pollutant: N.A. Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: N.A. **Special Precautions** Department of Transportation (DOT): DOT-Special Provision(s): N/A DOT Label(s): N/A DOT Symbol: N/A DOT Cargo Aircraft: N/A DOT Passenger Aircraft: N/A DOT Bulk: N/A DOT Non-Bulk: N/A Road and Rail (ADR-RID): ADR-Label: N/A ADR Hazard identification number: N/A ADR Tunnel Restriction Code: N/A Air (IATA): IATA- Passenger Aircraft: N/A IATA- Cargo Aircraft: N/A IATA- Label: N/A IATA- Subrisk: N/A IATA- Erg: N/A IATA- Special Provisions: N/A Sea (IMDG): IMDG -Stowage Code: N/A IMDG -Stowage Note: N/A IMDG -Subrisk: N/A IMDG -Special Provisions: N/A IMDG -Page: N/A IMDG -Label: N/A IMDG -EMIS: N/A IMDG -MFAG: N/A

Section 15 Regulatory Information

USA - Federal regulations

TSCA • Toxic Substances Control Act

TSCA Inventory:

All the components are fisted on the TSCA inventory

TSCA listed substances:

Titanium Dioxide is listed in TSCA Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substance listed

Section 304 –Hazardous substances: no substance listed Section 313 – Toxic chemical list: no substance listed

CERCLA - Comprehensive Environmental Response, Compensations, and Liability Act

Substance(s) listed under CERCLA: no substance listed

CAA - Clean Air Act

CAA Substances listed: no substance listed

CWA - Clean Water Act

CWA Substances listed: no substance listed

USA - state specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65

Titanium Dioxide listed as carcinogen

Massachusetts right to know

Substance(s) listed under Massachusetts Right to Know;

Titanium Dioxide

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to Know;

Titanium Dioxide


New Jersey Right to know

Substance(s) listed under New Jersey Right to Know;

Titanium Dioxide

Section 16 Other Information

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.



HMIS Health: 1 = MODERATE

HMIS Health * - Is health hazard chronic?: No HMIS Flammability: 1 = Combustible, if heated

HMIS Reactivity: 0 = MINMAL

HMIS P.P.E.: Safety glasses, gloves, dust respirators

NFPA Health: 1 = MODERATE

NFPA Flammability: 1= Combustible, if heated

NFPA Reactivity: 0 = MINIMAL NFPA Special Risk: NONE

Code Description

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs of

exposure cause the hazard>

H351A Suspected of causing cancer if inhaled

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	-American Conference of Governmental Industrial Hygienists	OSHA	-Occupational Safety and Health Administration
CAS	-Chemical Abstract Service Number	PEL	-Permissible Exposure Limit
CERCLA -Comprehensive Environmental Response, pp		ppm	-Parts per million
	Compensation, and Liability Act	RCRA	-Resource Conservation and Recovery Act
DOT	-U.S. Department of Transportation	SARA	-Superfund Amendments and
IARC	-International Agency for Research on		Reauthorization
	Cancer	TLV	-Threshold Limit Value
N/A	-Not Available	TSCA	-Toxic Substances Control Act
NTP	-National Toxicology Program	IDLH	-Immediately dangerous to life and health