

SAFETY DATA SHEET



Texrite Screed 100

As of date: 2018

Section 1 Product Description

Product Name: Screed 100
Recommended Use: Cement, concrete and masonry repair installation
Synonyms: Underlayment, patch, float, resurfacer, surface repair

Manufacturer: Texas Cement Products, dba Texrite
4000 Pinemont, Houston, Texas 77018, USA
713-682-8411
www.texrite.com

General Phone Number: 713-682-8411 (8am-3pm, CST, M-F)
General Fax Number: 713-688-2488

Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;



Signal Word: Danger

GHS Class: Serious Eye Damage/Eye Irritation, Category 1,
Skin Corrosion/Irritation, Category 2
Skin Sensitizer/Allergic skin reaction, Category 1
Carcinogen/May cause cancer if inhaled, Category 1A,
Damage to organs through prolonged or repeated exposure if inhaled, STOT RE 1

Hazard Statements: H100s = General, H200s = Physical, H300s = Health, H400s = Environmental
H315 Causes skin irritation.
H317 may cause an allergic skin reaction.
H318 Causes serious eye damage.
H350A May cause if inhaled.
H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary Statements: P201 - Obtain special instructions before use.
P202 – Do not handle until all safety precautions have been read and understood
P260B - Do not breathe dust.
P264.2 - Wash hands thoroughly after handling.
P270 - Do not eat, drink, or smoke when using this product
P272 – Contaminated work clothing should not be allowed out of the workplace.
P280 – Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352A1- IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P308+P313 – If exposed or concerned: Get medical advice/attention.
P310A - Call a POISON CENTER or doctor/physician.
P314 - Get medical advice/attention if you feel unwell.
P321A - Specific Treatment, (see supplementary instructions on the label)
P337+313 – If exposed or concerned: Get medical attention.
P362+P364 - Take off contaminated clothing and wash before use.
P405 - Store locked up.
P501A - Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Ingredients(s) with unknown acute toxicity: None

Hazards not otherwise classified identified during the classification process: None

Section 3 Composition Information and Ingredients

Mixture:

<u>Component Name</u>	<u>CAS #</u>	<u>WT %</u>	<u>Classification</u>
Silica Sand	14808-60-7	60-80%	Carc. 1A, H350A, STOT RE 1, H372A
Portland Cement	65997-15-1	15-40%	STOT SE 3, H335: Eye Dam 1, H318 Skin Sens. 1, H317; Skin Irrit. 2 H315
Calcium sulfate	7778-18-9	1-5%	STOT SE 3, H335:

Section 4 First-Aid Measures

Emergency and First Aid Procedures

- Inhalation:** Remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer artificial respiration. In case of inhalation, consult a doctor immediately and show him packing or label.
- Eyes:** IF IN EYES: Rinse cautiously with water with the eyelids open for a sufficient length of time. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation continues, then get medical advice/attention immediately. Protect uninjured eye.
- Skin Contact:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
- Ingestion:** If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Most Important symptoms/effects, acute and delayed:

Eye Irritation
Eye damages
Skin Irritation
Erythema

Indication of any immediate medical attention and special treatment needed:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Section 5 Fire Fighting Measures

- Extinguishing Media:** Use carbon dioxide, or water spray when fighting fires involving this material.
- Fire Fighting Methods and Protection:** Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.
- Fire and/or Explosion Hazards:** Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- Hazardous Combustion Products:** N.A.
- Explosive properties:** N.A.
- Oxidizing properties:** N.A.
- Special protective equipment and precautions for fire-fighters:**
Use suitable breathing apparatus.
Collected contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

Section 6 Accidental Release Measures

Steps to Take in Case Material Is

Wear personal protection equipment. Wear breathing apparatus if exposed to vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate respiratory protection. See protective measures under section 7 and 8. Ventilate the contaminated area.

Released or Spilled:

Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

Section 7 Handling and Storage

Handling:

Avoid contact with skin and eyes, Inhalation of vapors and mists. Exercise the greatest care when handling or opening the container. Use localized ventilation system. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Storage:

Keep dry. Keep container tightly closed & upright when not in use to prevent leakage.

Storage Code:

N.A.

Section 8 Exposure Controls / Personal Protection

List of components with OEL value

<u>Component</u>	<u>OEL Type</u>	<u>Country</u>	<u>Ceiling</u>	<u>Long Term</u> <u>mg/m3</u>	<u>Long Term</u> <u>ppm</u>	<u>Short Term</u> <u>mg/m3</u>	<u>Short Term</u> <u>ppm</u>	<u>Behavior</u>	<u>Note</u>
Silica Sand	ACGIH			0.25					A2-Suspected Human Carcinogen; lung cancer, pulmonary fibrosis
Portland cement	ACGIH			1.0					A4- Not classifiable as a Human Carcinogen; pulmonary function: respiratory symptoms: asthma; nasal symptoms
Calcium sulfate	ACGIH			10					

Control Parameters**Engineering Measures:**

General room ventilation might be required to maintain operator comfort under normal conditions of use. Avoid generating airborne dust

Personal Protective Equipment (PPE):**Respiratory Protection:**

No respiratory protection required under normal conditions of use.

Respirator Type(s):

Use NIOSH approved air purifying respirator with dust filter.

Eye Protection:

Wear close fitting safety glasses or goggles when handling this product.

Skin Protection:

Avoid skin contact by wearing clothing that provides comprehensive protection. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves:

PVC, neoprene, rubber, nitrile

Section 9 Physical and Chemical Properties

Appearance:

Solid, Gray Powder

Odor:

Odorless

Odor Threshold:

None

pH (Neutrality):

N.A.

Melting Point/Freezing Point:

N.A.

Boiling Range (Ibp,50%,Dry Point):

N.A.

Flash Point (Test Method):

N.A.

Evaporation Rate**(n-Butyl Acetate=1):**

N.A.

Flammability Classification:	N.A.
Lower Flammable	
Limit in Air (% by vol):	N.A.
Upper Flammable	
Limit in Air (% by vol):	N.A.
Vapor Pressure (mm of Hg)@20 C:	N.A.
VAPOR DENSITY (Air=1):	N.A.
GRAVITY @ 68/68F / 20/20C:	
Specific Gravity (Water=1):	N.A.
Pounds/Gallon:	N.A.
Water Solubility:	N.A.
Partition Coefficient (n-Octane/Water):	N.A.
Auto Ignition Temperature:	N.A.
Decomposition Temperature:	N.A.
Other Information	
Substance Groups relevant properties	N.A.
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.

Section 10 Stability and Reactivity

Reactivity:	Stable under normal conditions.
Chemical Stability:	No data available
Possibility of Hazardous Reaction:	None
Conditions to Avoid:	Stable under normal conditions.
Incompatible Materials:	None in particular
Hazardous Decomposition Products:	None

Section 11 Toxicological Information

Toxicological Information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentrations of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological Information on the main components of the mixture:

Silica Sand a) acute toxicity LD50 (Oral): 500 mg/kg (Rat)

Calcium sulfate a) acute toxicity LD50 (Oral): 3000 mg/kg (Rat)

If not differently specified, the information required in the regulation and listed below must be considered NA.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitization
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT - single exposure
- l) STOT -repeated exposure
- J) aspiration hazard

Substance(s) listed on the IARC Monographs:
Silica Sand Group 1

Substance(s) listed as OSHA Carcinogen(s):
Silica Sand

Substance(s) listed as NIOSH Carcinogen(s):
Silica Sand

Substance(s) listed on the NTP report on Carcinogens:
Silica Sand

Section 12 Ecological Information

Overview: Adopt good working practices, so that the product is not released into the environment.

Ecotoxicity:

<u>QTY , Chemical Name</u>	<u>CAS Number</u>	<u>Eco Toxicity</u>
60-80%, Silica Sand	14808-60-7	LC 50 a) Aquatic acute toxicity carp >10000.00000 mg/L 72h
1-5 %, Calcium sulfate	7778-18 -9	LC 50 a) Aquatic acute toxicity Fish Lepomis macrochirus =2980mg/L 96h EPA LC 50 a) Aquatic acute toxicity Fish Pimephales promelas > 1970mg/L 96h EPA

Persistence and degradability: The polymeric component is not expected to biodegrade.

Bioaccumulative potential: No data

Mobility in soil: No data

Other Adverse Effects: No data

Section 13 Disposal Considerations

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information

UN number

ADR-UN number: N/A

DOT-UN number: N/A

IATA-UN number: N/A

IMDG-UN number: N/A

UN proper shipping name

ADR-Shipping Name: N/A

DOT Proper Shipping Name: N/A

IATA-Technical name: N/A

IMDG-Technical name: N/A

Transport hazard class(es)

ADR- Class: N/A

DOT Hazard Class: N/A

IATA- Class: N/A

IMDG-Class: N/A

Packing group

ADR Packing Group: N/A

DOT-Packing group: N/A

IATA-Packing group: N/A

IMDG-Packing group: N/A

Environmental hazards

Marine pollutant: No

Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:

N.A.

Special Precautions

Department of Transportation (DOT):

DOT-Special Provision(s): N/A

DOT Label(s): N/A

DOT Symbol: N/A

DOT Cargo Aircraft: N/A

DOT Passenger Aircraft: N/A

DOT Bulk: N/A

DOT Non-Bulk: N/A

Road and Rail (ADR-RID):
 ADR-Label: N/A
 ADR Hazard identification number: N/A
 ADR Tunnel Restriction Code: N/A

Air (IATA) :
 IATA- Passenger Aircraft: N/A
 IATA- Cargo Aircraft : N/A
 IATA- Label: N/A
 IATA- Subrisk: N/A
 IATA- Erg: N/A
 IATA- Special Provisions: N/A

Sea (IMDG):
 IMDG -Stowage Code: N/A
 IMDG -Stowage Note: N/A
 IMDG -Subrisk: N/A
 IMDG -Special Provisions: N/A
 IMDG -Page: N/A
 IMDG -Label: N/A
 IMDG -EMIS: N/A
 IMDG -MFAG: N/A

Section 15 Regulatory Information

USA - Federal regulations

TSCA • Toxic Substances Control Act

TSCA Inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

Silica Sand	is listed in TSCA	Section 8b
Portland cement	is listed in TSCA	Section 8b
Calcium sulfate	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substance listed

Section 304 –Hazardous substances: no substance listed

Section 313 – Toxic chemical list: no substance listed

CERCLA – Comprehensive Environmental Response, Compensations, and Liability Act

Substance(s) listed under CERCLA: no substance listed

CAA – Clean Air Act

CAA Substances listed: no substance listed

CWA – Clean Water Act

CWA Substances listed: no substance listed

USA - state specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65

Silica Sand listed as carcinogen

Massachusetts right to know

Substance(s) listed under Massachusetts Right to Know;

Silica Sand
 Portland cement
 Calcium sulfate

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to Know;

Silica Sand
Portland cement
Calcium sulfate

New Jersey Right to know


Substance(s) listed under New Jersey Right to Know;

Silica Sand
Portland cement
Calcium sulfate

Section 16 Other Information

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

HMIS Health: 2 = MODERATE
HMIS Health - Is health hazard chronic?: Yes
HMIS Flammability: 0 = Not Combustible
HMIS Reactivity: 0 = MINIMAL
HMIS P.P.E.: Safety glasses, gloves, dust respirators

NFPA Health: 2 = MODERATE
NFPA Flammability: 0 = Not Combustible
NFPA Reactivity: 0 = MINIMAL
NFPA Special Risk: NONE

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Cause serious eye damage.
H335	May cause respiratory irritation.
H350A	May cause cancer if inhaled
H372A	Causes damage to organs through prolonged or repeated exposure if inhaled

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	-American Conference of Governmental Industrial Hygienists	N/A	-Not Available
CAS	-Chemical Abstract Service Number	NTP	-National Toxicology Program
CERCLA	-Comprehensive Environmental Response, Compensation, and Liability Act	OSHA	-Occupational Safety and Health Administration
DOT	-U.S. Department of Transportation	PEL	-Permissible Exposure Limit
IARC	-International Agency for Research on Cancer	ppm	-Parts per million
		RCRA	-Resource Conservation and Recovery Act

SARA -Superfund Amendments and
Reauthorization
TLV -Threshold Limit Value

TSCA -Toxic Substances Control Act
IDLH -Immediately dangerous to life and
health

SAFETY DATA SHEET



Texrite Latex Bond Admix 150

As of date: 2018

Section 1 Product Description

Product Name: Latex Bond Admix 150
Recommended Use: Water based adhesive, surface primer
Synonyms: latex liquid, bonding agent, additive, admix
Manufacturer: Texas Cement Products, dba Texrite
4000 Pinemont, Houston, Texas 77018, USA
713-682-8411
www.texrite.com
General Phone Number: 713-682-8411 (8am-3pm, CST, M-F)
General Fax Number: 713-688-2488

Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;

Mixture: This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.
Signal Word: N/A
GHS Class: Not a hazardous substance or mixture.
Hazard Statements: Not a hazardous substance or mixture.
Precautionary Statements: Not a hazardous substance or mixture.
Other Hazards: no data available
Emergency Overview:
Appearance - liquid
Color - white
Odor -slight

Section 3 Composition Information and Ingredients

Substance / Mixture:	Mixture	
Component	CAS #	Amount
Water	7732-18-5	>= 85.0 - <= 90.0 %
Styrene-butadiene based polymer	Trade secret	>= 10.0 - <= 17.0 %
Ethoxylated di-sec-butylphenol	53964-94-6	< 1.0 %
Methanol	67-56-1	< 0.2 %

Section 4 First-Aid Measures

Emergency and First Aid Procedures

General Advice: Show this material safety data sheet to the doctor in attendance.

Inhalation: In case of accident by inhalation, move to fresh air. If symptoms persist, call a physician.

Eyes:	IF IN EYES: Flush eyes with water at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if eye irritation develops or persists.
Skin Contact:	IF ON SKIN: Wash off with soap and water.
Ingestion:	Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

Section 5 Fire Fighting Measures

Extinguishing Media:	Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media:	none
Specific hazards during fire fighting:	Cool closed containers exposed to fire with water spray.
Specific extinguishing methods:	none
Further information:	This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions:	No special environmental precautions required. Prevent product from entering drains.
Steps to Take in Case Material Is Released or Spilled:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Section 7 Handling and Storage

Advice on safe handling:	No special precautions are needed in handling this material.
Conditions for safe storage:	Keep container closed when not in use. Keep in a dry, cool place
Materials to avoid:	Do not freeze. No special restrictions
Storage temperature:	>40 °F

Section 8 Exposure Controls / Personal Protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Control Parameters

Engineering Measures: Contains no substances with occupational exposure limit values.

Personal Protective Equipment (PPE):	No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment.
Eye Protection:	Safety glasses, Splashproof goggles
Gloves:	Nitrile rubber for prolonged or repeated contact use protective gloves.
Protective Measure:	No special protective equipment required.

Section 9 Physical and Chemical Properties

Appearance:	liquid
Color:	white
Odor:	slight
Odor Threshold:	No test data available
pH:	9.5 - 10.5 <i>Estimated.</i>
Melting Point:	0 °C (32 °F) <i>Literature (water)</i>
Freezing Point:	0 °C (32 °F) <i>Literature (water)</i>
Boiling Point (760 mmHg):	100 °C (212 °F) <i>Literature (based on water).</i>
Flash Point - Closed Cup:	<i>Not applicable</i> water based product
Evaporation Rate (Butyl Acetate = 1):	no data available
Flammability (solid, gas):	No
Flammable Limits In Air	Lower: No test data available Upper: No test data available
Vapor Pressure:	17.5 mmHg @ 20 °C <i>Literature (water)</i>
Vapor Density (air = 1):	0.6 <i>Literature</i> water vapor
Specific Gravity (H ₂ O = 1):	0.95 - 1.10 <i>Estimated.</i>
Solubility in water (by weight):	<i>Visual</i> Miscible with water in all proportions
Partition coefficient, noctanol/water (log Pow):	No data available for this product.
Autoignition Temperature:	<i>Not applicable</i> water based product
Decomposition Temperature:	No test data available
Kinematic Viscosity:	< 500 cSt <i>Estimated.</i>
Explosive properties:	No <i>Assessment based on structural analysis</i>
Oxidizing properties:	No <i>Assessment based on structural analysis</i>
Molecular Weight:	Technically not possible to determine molecular weight

Section 10 Stability and Reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Stable under recommended storage conditions. See Storage, Section 7.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Hazardous decomposition products:	Stable under normal conditions.
Conditions to Avoid:	Can coagulate if frozen. The dry resin is combustible.
Incompatible Materials:	Addition of chemicals, such as acids or multivalent metal salts, may cause coagulation.
Hazardous decomposition products:	Decomposition products depend upon temperature, air supply and the presence of other materials.

Section 11 Toxicological Information

Symptoms (Acute):
Acute toxicity
Product:

Ingestion: Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. LD50, rat > 5,000 mg/kg

Aspiration hazard:	Based on physical properties, not likely to be an aspiration hazard.
Dermal:	Prolonged skin contact is unlikely to result in absorption of harmful amounts. For similar material(s): LD50, rat > 2,000 mg/kg
Inhalation:	No adverse effects are anticipated from single exposure to vapor. Mist may cause irritation of upper respiratory tract (nose and throat). The LC50 has not been determined.
Eye damage/eye irritation:	May cause slight temporary eye irritation. Corneal injury is unlikely.
Skin corrosion/irritation:	Brief contact is essentially nonirritating to skin. Prolonged contact may cause slight skin irritation with local redness. Latex may stick to skin causing irritation upon removal.
Sensitization	
Skin:	No relevant data found.
Respiratory:	No relevant data found.
Repeated Dose Toxicity:	No relevant data found.
Chronic Toxicity and Carcinogenicity:	No relevant data found.
Developmental Toxicity:	No relevant data found.
Reproductive Toxicity:	No relevant data found.
Genetic Toxicology:	No relevant data found.
Component Toxicology - Inhalation	Methanol LC50, 4 h, Vapor, rat 83.8 mg/l

Section 12 Ecological Information

Ecotoxicity:	For similar material(s): Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).
Persistence and degradability:	The polymeric component is not expected to biodegrade.
Bioaccumulative potential	
Bioaccumulation:	No bioconcentration of the polymeric component is expected because of its high molecular weight. Latex dispersions will color water a milky white.
Mobility in soil:	No relevant data found.
Results of PBT and vPvB assessment:	This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).
Other adverse effects:	No relevant data found.

Section 13 Disposal Considerations

Disposal Methods:	DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device.
--------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 14 Transport Information

DOT Non-Bulk: NOT REGULATED
DOT Bulk: NOT REGULATED
IMDG: NOT REGULATED
ICAO/IATA: NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15 Regulatory Information

OSHA Hazard Communication Standard:

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312:

Immediate (Acute) Health Hazard:	No
Delayed (Chronic) Health Hazard:	No
Fire Hazard:	No
Reactive Hazard:	No
Sudden Release of Pressure Hazard:	No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.


US. Toxic Substances Control Act:

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

CEPA - Domestic Substances List (DSL):

All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

Section 16 Other Information

NFPA:**HMIS III:**

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

NFPA:

Flammability: 0
Health: 0
Instability: 0
Special hazard: 0

HMIS III:

HEALTH: 0
FLAMMABILITY: 0
PHYSICAL HAZARD: 0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH -American Conference of Governmental Industrial Hygienists

CAS -Chemical Abstract Service Number

CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act

DOT -U.S. Department of Transportation

IARC -International Agency for Research on Cancer

N/A -Not Available

NTP -National Toxicology Program

OSHA -Occupational Safety and Health Administration

PEL -Permissible Exposure Limit

ppm -Parts per million

RCRA -Resource Conservation and Recovery Act

SARA -Superfund Amendments and Reauthorization

TLV -Threshold Limit Value

TSCA -Toxic Substances Control Act

IDLH -Immediately dangerous to life and health